

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|-------------------|------------------|---------|------------------|
| L1 | 42614 | (data control\$3) near3 center\$1 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 17:46 |
| L2 | 5824 | (communicat\$3 sent send\$3 deliver\$4 transmit\$4 transmission\$1 pass\$3) near5 statistic\$4 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:24 |
| L3 | 37 | l1 with l2 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 15:17 |
| L4 | 7 | l3 and gateway\$1 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:08 |
| L5 | 109842 | (communicat\$3 sent send\$3 deliver\$4 transmit\$4 transmission\$1 receiv\$3 obtain\$3 provid\$3) near5 (quer\$3 instruct\$4) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:28 |
| L6 | 389 | l1 with l5 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:25 |
| L7 | 2480 | gateway\$1 near7 (traffic\$3 heuristic\$1 statistic\$1 collect\$4) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:34 |
| L8 | 3 | l6 and l7 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:26 |
| L9 | 2708 | (communicat\$3 sent send\$3 deliver\$4 transmit\$4 transmission\$1 receiv\$3 obtain\$3 provid\$3) with (gather\$2 collect\$4 monitor\$3 detect\$4 determin\$4) with (statistic\$1) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:54 |
| L10 | 24 | l9 same l1 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:38 |
| L11 | 195 | gateway\$1 near7 (monitor\$3 gather\$3 collect\$4 heuristic\$1 statistic\$1 collect\$4) near8 (traffic\$3 packet\$1 datagram\$1) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:51 |
| L12 | 3 | l11 and l10 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:36 |
| L13 | 12 | l9 and l11 and l1 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:44 |
| L14 | 6218 | ((726/2-4) or (726/11-13) or (726/22-27) or (709/224) or (713/153-154)).CCLS. | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:51 |
| L15 | 359 | gateway\$1 with (monitor\$3 gather\$3 collect\$4 heuristic\$1 statistic\$1 collect\$4) with (traffic\$3 packet\$1 datagram\$1) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:52 |
| L16 | 57 | l14 and l15 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:52 |

EAST Search History

| | | | | | | |
|-----|------|---|-------------------|----|-----|------------------|
| L17 | 1652 | l14 and gateway\$1 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:54 |
| L18 | 110 | l17 and l1 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:54 |
| L19 | 4622 | (communicat\$3 sent send\$3 deliver\$4 transmit\$4 transmission\$1 receiv\$3 obtain\$3 provid\$3) with (gather\$2 collect\$4 track\$3 monitor\$3 detect\$4 determin\$4) with (attack\$3 malicious\$2 statistic\$1 spoof\$3 vulnerab\$7) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 15:58 |
| L20 | 18 | l18 and l19 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:58 |
| L21 | 21 | l16 and l19 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:58 |
| L22 | 16 | l21 and filter\$3 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:58 |
| L23 | 15 | l20 and filter\$3 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:59 |
| L24 | 12 | l23 and statistic\$3 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 15:14 |
| L25 | 14 | l22 and statistic\$3 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 14:59 |
| L26 | 17 | l1 with (gather\$2 collect\$4 track\$3 monitor\$3 detect\$4 determin\$4) with (attack\$3 malicious\$2 spoof\$3 vulnerab\$7) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 15:11 |
| L27 | 968 | gateway\$1 with (gather\$2 collect\$4 track\$3 monitor\$3 detect\$4 determin\$4) with (attack\$3 malicious\$2 spoof\$3 vulnerab\$7 traffic packet\$1 datagram\$1) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:13 |
| L28 | 251 | l27 and statistic\$3 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 15:14 |
| L29 | 60 | l28 and l1 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 15:14 |
| L30 | 32 | l29 and (attack\$3 malicious\$2 spoof\$3 vulnerab\$7 hack\$3) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 15:18 |
| L31 | 27 | l30 and filter\$4 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 15:15 |
| L32 | 18 | l31 not l24 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 15:15 |
| L33 | 106 | l1 with statistic\$1 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 15:17 |
| L34 | 18 | gateway\$1 and l33 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 15:17 |

EAST Search History

| | | | | | | |
|-----|--------|--|-------------------|----|-----|------------------|
| L35 | 7 | I34 and (attack\$3 malicious\$2 spoof\$3 vulnerab\$7 hack\$3) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 15:19 |
| L51 | 1184 | ((data control\$3 near3 (center\$1 site\$1 server\$1 host\$1)) with (communicat\$3 sent send\$3 deliver\$4 transmit\$4 transmission\$1 receiv\$3 obtain\$3 provid\$3 request\$4 quer\$3 instruct\$5) with (gateway\$1) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:27 |
| L52 | 1097 | ((data control\$3 host\$1) near3 (center\$1 site\$1 server\$1)) with (communicat\$3 sent send\$3 deliver\$4 transmit\$4 transmission\$1 receiv\$3 obtain\$3 provid\$3 request\$4 quer\$3 instruct\$5) with (gateway\$1) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:15 |
| L53 | 986 | gateway\$1 with (gather\$2 collect\$4 track\$3 monitor\$3 detect\$4 determin\$4) with (attack\$3 malicious\$2 spoof\$3 vulnerab\$7 traffic packet\$1 datagram\$1 intrusion\$1 intrud\$3 hostil\$7 hack\$3) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:24 |
| L54 | 175 | I51 and I53 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:14 |
| L55 | 15000 | ((data control\$3 host\$1) near3 (center\$1 site\$1 server\$1)) with (communicat\$3 sent send\$3 deliver\$4 transmit\$4 transmission\$1 receiv\$3 obtain\$3 provid\$3 request\$4 quer\$3 instruct\$5) with (request\$3 quer\$3 instruct\$4) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:15 |
| L56 | 65 | I54 and I55 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:19 |
| L57 | 107876 | (filter\$3 trac\$3) near5 (tool\$2 software\$1 insert\$3 install\$6 implement\$3 incorporat\$4) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:17 |
| L58 | 190 | I57 with (attack\$3 malicious\$2 spoof\$3 vulnerab\$7 intrusion\$1 intrud\$3 hostil\$7 hack\$3) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:18 |
| L59 | 3 | I56 and I58 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:19 |
| L60 | 7 | I56 and I57 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:19 |
| L61 | 64 | gateway\$1 with (gather\$2 collect\$4 track\$3 monitor\$3 detect\$4 determin\$4 analyz\$3 analys\$3) with (attack\$3 malicious\$2 spoof\$3 vulnerab\$7 intrusion\$1 intrud\$3 hostil\$7 hack\$3) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:55 |

EAST Search History

| | | | | | | |
|-----|-------|---|-------------------|----|-----|------------------|
| L63 | 1047 | gateway\$1 with (gather\$2 collect\$4 track\$3 monitor\$3 detect\$4 determin\$4 analyz\$3 analys\$3) with (attack\$3 malicious\$2 spoof\$3 vulnerab\$7 traffic packet\$1 datagram\$1 intrusion\$1 intrud\$3 hostil\$7 hack\$3) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 17:00 |
| L64 | 18797 | (gather\$2 collect\$4 track\$3 monitor\$3 detect\$4 determin\$4 analyz\$3 analys\$3) with (attack\$3 malicious\$2 spoof\$3 vulnerab\$7 intrusion\$1 intrud\$3 hostil\$7 hack\$3) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:25 |
| L65 | 134 | l63 and l64 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:25 |
| L66 | 68980 | ((data control\$3) near3 (center\$1 site\$1 server\$1 host\$1)) with (communicat\$3 sent send\$3 deliver\$4 transmit\$4 transmission\$1 receiv\$3 obtain\$3 provid\$3 request\$4 quer\$3 instruct\$5) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:55 |
| L67 | 51 | l65 and l66 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:27 |
| L68 | 18 | l57 and l67 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:27 |
| L69 | 14 | l68 not l60 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:27 |
| L70 | 1360 | l66 with (gateway\$1 firewall\$1) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:55 |
| L71 | 66 | gateway\$1 with (gather\$2 collect\$4 track\$3 monitor\$3 detect\$4 determin\$4 analyz\$3 analys\$3 measur\$3) with (attack\$3 malicious\$2 spoof\$3 heuristic\$3 vulnerab\$7 intrusion\$1 intrud\$3 hostil\$7 hack\$3) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 16:58 |
| L72 | 85 | l1 with (gather\$2 collect\$4 track\$3 monitor\$3 detect\$4 determin\$4 analyz\$3 analys\$3 measur\$3 communicat\$3 sent send\$3 deliver\$4 transmit\$4 transmission\$1 receiv\$3 obtain\$3 provid\$3) with (attack\$3 malicious\$2 spoof\$3 heuristic\$3 vulnerab\$7 intrusion\$1 intrud\$3 hostil\$7 hack\$3) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 17:01 |
| L73 | 1102 | gateway\$1 with (gather\$2 collect\$4 track\$3 monitor\$3 detect\$4 determin\$4 analyz\$3 analys\$3) with (attack\$3 malicious\$2 spoof\$3 vulnerab\$7 traffic statistic\$1 packet\$1 datagram\$1 intrusion\$1 intrud\$3 hostil\$7 hack\$3) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 17:40 |

EAST Search History

| | | | | | | |
|-----|------|--|-------------------|----|-----|------------------|
| L74 | 3 | I73 and I72 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 17:01 |
| L75 | 177 | I66 with (gather\$2 collect\$4 track\$3 monitor\$3 detect\$4 determin\$4 analyz\$3 analys\$3 measur\$3 communicat\$3 sent send\$3 deliver\$4 transmit\$4 transmission\$1 receiv\$3 obtain\$3 provid\$3) with (attack\$3 malicious\$2 spoof\$3 heuristic\$3 vulnerab\$7 intrusion\$1 intrud\$3 hostil\$7 hack\$3) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 17:47 |
| L76 | 14 | I73 and I75 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 17:01 |
| L77 | 3299 | gateway\$1 same (gather\$2 collect\$4 track\$3 monitor\$3 detect\$4 determin\$4 analyz\$3 analys\$3) same (attack\$3 malicious\$2 spoof\$3 vulnerab\$7 traffic statistic\$1 packet\$1 datagram\$1 intrusion\$1 intrud\$3 hostil\$7 hack\$3) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 17:40 |
| L78 | 76 | I77 same I1 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 17:47 |
| L79 | 21 | I78 and I64 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 17:41 |
| L80 | 18 | I79 and (filter\$4 trace\$1 tracing) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 17:41 |
| L81 | 2 | I80 and statistic | USPAT; IBM_TDB | OR | OFF | 2007/06/13 17:41 |
| L82 | 14 | I80 and statistic\$4 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 17:41 |
| L83 | 452 | I77 and I1 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 17:47 |
| L84 | 248 | I1 with (gather\$2 collect\$4 track\$3 monitor\$3 detect\$4 determin\$4 analyz\$3 analys\$3 measur\$3 communicat\$3 sent send\$3 deliver\$4 transmit\$4 transmission\$1 receiv\$3 obtain\$3 provid\$3) with (attack\$3 malicious\$2 spoof\$3 heuristic\$3 vulnerab\$7 statistic\$3 intrusion\$1 intrud\$3 hostil\$7 hack\$3) | USPAT; IBM_TDB | OR | OFF | 2007/06/13 17:48 |
| L86 | 11 | I84 and I83 | USPAT; IBM_TDB | OR | OFF | 2007/06/13 17:49 |